VFF FLAT CUPS



- Flat design vacuum cup
- Internal cleats for increased grip in lateral movement
- Good for shear movement and grip
- Available from 15mm to 150mm diameter
- NBR and FDA Silicone



VFF	40-2	
Series	Model	Diameter
	15	15
	20	20
	30-2	30
	40-2	40
	50-2	50
	75W	75
	110W	110
	150W	150

Cup Material
Nitrile
Red Silicone

Ν S ST White Translucent Silicone

For cup material data please refer to <u>vacuforce.com/materials</u>

Part number example VFF30-2S 30mm diameter flat vacuum cup in red silicone

LEVEL COMPENSATORS





For cup fittings refer to page 1.86



- 16mm Diameter (0.787") flat cup design
- · Internal cleats for increased grip in lateral movement
- Good for shear movement and grip
- · NBR and FDA Silicone materials








- Small part pick and place
- · Plastic and food packaging
- Direct food contact with silicone materia

DIMENSIONS (mm)



VFF	1	5
Series	Model	Diameter
	15	16.5

Cup Material N Nitrile	8	
	Cup Material	
D 10'''	N	Nitrile
S Red Silicone	S	Red Silicone

Cup Fittings	
Use Fitting Type	В

For cup material data please refer to <u>vacuforce.com/materials</u>

Part number example VFF15S 16.5mm diameter flat vacuum cup in red silicone



For cup fittings refer to page 1.86


VFF20 FLAT VACUUM CUP



- 22mm Diameter (0.866") flat cup design
- · Internal cleats for increased grip in lateral movement
- Good for shear movement and grip
- NBR and FDA Silicone materials







APPLICATIONS

- Small part pick and place
- · Plastic and food packaging
- · Direct food contact with silicone materials

DIMENSIONS (mm) A - Vacuforce VH20 A - Ø22



Cup Fittings
Use Fitting Type C

For cup material data please refer to <u>vacuforce.com/materials</u>

Part number example VFF20S 22mm diameter flat vacuum cup in red silicone



For cup fittings refer to page 1.86



- 32mm Diameter (1.26") flat cup design
- · Internal cleats for increased grip in lateral movement
- Good for shear movement and grip
- NBR and FDA Silicone materials









- Small part pick and place
- Plastic and food packaging
- · Direct food contact with silicone materials

DIMENSIONS (mm)





VFF	30)-2
Series	Model	Diameter
	30	32

Cup Fittings	
Use Fitting Type	С

	Cup Material
N	Nitrile
S	Red Silicone
ST	White Translucent Silicone

For cup material data please refer to <u>vacuforce.com/materials</u>

Part number example VFF30-2S 32mm diameter flat vacuum cup in red silicone



For cup fittings refer to page 1.86

VFF40-2 FLAT VACUUM CUP




- 42mm Diameter (1.65") flat cup design
- Internal cleats for increased grip in lateral movement
- Good for shear movement and grip
- · NBR and FDA Silicone materials




APPLICATIONS

- Small part pick and place
- Plastic and food packaging
- Direct food contact with silicone materials

DIMENSIONS (mm)





Cup Fittings	
Use Fitting Type	D

Cup Material

N Nitrile
S Red Silicone
ST White Translucent Silicone

For cup material data please refer to vacuforce.com/materials

Part number example VFF40-2S 42mm diameter flat vacuum cup in red silicone



For cup fittings refer to page 1.86





- 52mm Diameter (2.05") flat cup design
- · Internal cleats for increased grip in lateral movement
- Good for shear movement and grip
- NBR and FDA Silicone materials



- · Small part pick and place
- Plastic and food packaging
- Direct food contact with silicone materials

DIMENSIONS (mm)





Cup Fittings	
Use Fitting Type	Е

Cup Material

N Nitrile

S Red Silicone

ST White Translucent Silicone

For cup material data please refer to <u>vacuforce.com/materials</u>

Part number example VFF50-2S 52mm diameter flat vacuum cup in red silicone



For cup fittings refer to page 1.86

VFF75W FLAT VACUUM CUP



- 75mm Diameter (3") flat cup design
- · Internal cleats for increased grip in lateral movement
- · Ideal for high speed shear movement and grip
- NBR and FDA Silicone materials






APPLICATIONS

- Part pick and place
- · Sheet metal and lumber handling
- High shear force pick and place

DIMENSIONS (mm)





For cup material data please refer to <u>vacuforce.com/materials</u>

Part number example VFF75WS - 75mm diameter flat vacuum cup in red silicone

VFF75W Cup Fittings








Fitting Model	P (Vacuum Port)
VFCF75-1/8	G1/8
VFCF75-1/4	G1/4
VFCF75-3/8	G3/8




- 112mm Diameter (4.4") flat cup design
- · Internal cleats for increased grip in lateral movement
- Ideal for high speed shear movement and grip
- NBR and FDA Silicone materials



- · Part pick and place
- Sheet metal and lumber handling

DIMENSIONS (mm)





For cup material data please refer to <u>vacuforce.com/materials</u>

Part number example VFF110WS - 112mm diameter flat vacuum cup in red silicone

VFF110W Cup Fittings







Fitting Model	P (Vacuum Port)
VFCF110-3/8	G3/8
VFCF110-1/2	G1/2

VFF150W FLAT VACUUM CUP

VACUFORCE®


- 154mm Diameter (6.06") flat cup design
- · Internal cleats for increased grip in lateral movement
- Ideal for high speed shear movement and grip
- NBR and FDA Silicone materials

APPLICATIONS

- Part pick and place
- · Sheet metal and lumber handling
- · High shear force pick and place



DIMENSIONS (mm)




VFF	150W			5	
Series	Model	Diameter	Cup Material		
	150W	154	N	Nitrile	
			S	Red Silicone	


For cup material data please refer to <u>vacuforce.com/materials</u>

Part number example VFF150WS - 154mm diameter flat vacuum cup in red silicone

VFF150W Cup Fittings







Fitting Model	P (Vacuum Port)
VFCF150-1/2	G1/2